



S. S Jain Subodh P.G. (Autonomous) College

SUBJECT - ARTIFICIAL INTELLIGENCE

TITLE – KNOWLEDGE REPRESENTATION

BY - Dr. VIPIN KUMAR JAIN

Knowledge Representation





Representation

- Think about knowledge, rather than data in AI
- Facts
- Procedures
- Meaning
 - Cannot have intelligence without knowledge
- Always been very important in AI
- Choosing the wrong representation
 - Could lead to a project failing
- Still a lot of work done on representation issues




Representations for Problem solving techniques

- For certain problem solving techniques
 - The “best” representation has already been worked out
 - Often it is an obvious requirement of the technique
 - Or a requirement of the programming language (e.g., Prolog)
- Examples:
 - First order theorem proving (first order logic)
 - Inductive logic programming (logic programs)
 - Neural networks learning (neural networks)
- But what if you have a new project?
 - What kind of general representations schemes are there?



Four General Representation Types

- Logical Representations
- Semantic Networks
- Production Rules
- Frames





Logical Representations

What is a Logic?

- Lay down some concrete communication rules
 - In order to give information to agents, and get info
 - Without errors in communication (or at least, fewer)
- Think of a logic as a language
 - Many ways to translate from one language to another
- **Expressiveness**
 - How much of natural language (e.g., English)
 - We are able to translate into the logical language
- Not to be confused with logical reasoning
 - “Sherlock Holmes used pure logic to solve that...”
 - This is a process, not a language



Syntax and Semantics of Logics

- Syntax
 - How we can construct legal sentences in the logic
 - Which symbols we can use (English: letters, punctuation)
 - How we are allowed to write down those symbols
- Semantics
 - How we interpret (read) sentences in the logic
 - i.e., what the meaning of a sentence is
- Example: “All lecturers are six foot tall”
 - Perfectly valid sentence (syntax)
 - And we can understand the meaning (semantics)
 - This sentence happens to be false (there is a counterexample)



Propositional Logic

- Syntax
 - Propositions such as P meaning “it is wet”
 - Connectives: and, or, not, implies, equivalent
 $\wedge \vee \neg \rightarrow \leftrightarrow$
 - Brackets, T (true) and F (false)
- Semantics
 - How to work out the truth of a sentence
 - Need to know how connectives affect truth
 - E.g., “P and Q” is true if and only if P is true and Q is true
 - “P implies Q” is true if P and Q are true or if P is false
 - Can draw up truth tables to work out the truth of statements



First Order Predicate Logic

- More expressive logic than propositional
 - And one we will use a lot in this course
 - Later lecture all about first order predicate logic
- Syntax allows
 - Constants, variables, predicates, functions and quantifiers
- So, we say something is true for all objects (universal)
 - Or something is true for at least one object (existential)
- Semantics
 - Working out the truth of statement
 - This can be done using rules of deduction



Example Sentence

- In English:
 - “Every Monday and Wednesday I go to John’s house for dinner”
- In first order predicate logic:
$$\forall X ((\text{day_of_week}(X, \text{monday}) \vee \text{day_of_week}(X, \text{weds})) \rightarrow (\text{go_to}(\text{me}, \text{house_of}(\text{john}) \wedge \text{eat}(\text{me}, \text{dinner}))).$$
- Note the change from “and” to “or”
 - Translating is problematic



Higher Order Predicate Logic

- More expressive than first order predicate logic
- Allows quantification over functions and predicates, as well as objects
- For example
 - We can say that all our polynomials have a zero at 17:
 $\forall f (f(17)=0)$.
- Working at the meta-level
 - Important to AI, but not often used



Other Logics

- Fuzzy logic
 - Use probabilities, rather than truth values
- Multi-valued logics
 - Assertions other than true and false allowed
 - E.g., “unknown”
- Modal logics
 - Include beliefs about the world
- Temporal logics
 - Incorporate considerations of time




Why Logic is a Good Representation

- Some of many reasons are:
 - It's fairly easy to do the translation when possible
 - There are whole tracts of mathematics devoted to it
 - It enables us to do logical reasoning
 - Programming languages have grown out of logics
 - Prolog uses logic programs (a subset of predicate logic)




Semantic Networks

- Logic is not the only fruit
- Humans draw diagrams all the time, e.g.,
 - E.g. causal relationships:



- And relationships between ideas:





Graphical Representations


- Graphs are very easy to store inside a computer
- For information to be of any use
 - We must impose a formalism on the graphs



- Jason is 15, Bryan is 40, Arthur is 70, Jim is 74
- How old is Julia?



Better Graphical Representation



- Because the formalism is the same
 - We can guess that Julia's age is similar to Bryan's
- Limited the syntax to impose formalism



Semantic Network Formalisms

- Used a lot for natural language understanding
 - Represent two sentences by graphs
 - Sentences with same meaning have exactly same graphs
- Conceptual Dependency Theory
 - Roger Schank's brainchild
 - Concepts are nodes, relationships are edges
 - Narrow down labels for edges to a very few possibilities
 - Problem:
 - Not clear whether reduction to graphs can be automated for all sentences in a natural language




Conceptual Graphs

- John Sowa
- Each graph represents a single proposition
- Concept nodes can be:
 - Concrete (visualisable) such as restaurant, my dog spot
 - Abstract (not easily visualisable) such as anger
- Edges do not have labels
 - Instead, we introduce conceptual relation nodes
- Many other considerations in the formalism
 - See Russell and Norvig for details



Example Conceptual Graph



- Advantage:
 - Single relationship between multiple concepts is easily representable



Production Rule Representations

- Consists of <condition,action> pairs
- Agent checks if a condition holds
 - If so, the production rule “fires” and the action is carried out
 - This is a recognize-act cycle
- Given a new situation (state)
 - Multiple production rules will fire at once
 - Call this the **conflict set**
 - Agent must choose from this set
 - Call this **conflict resolution**
- Production system is any agent
 - Which performs using recognize-act cycles



Example Production Rule

- As reported in Doug Lenat's PhD thesis
102. After creating a new generalization G of Concept C
- Consider looking for non-examples of G
- This was paraphrased
 - In general, we have to be more concrete
 - About exactly when to fire and what to do



Frame Representations

- Information retrieval when facing a new situation
 - The information is stored in frames with slots
 - Some of the slots trigger actions, causing new situations
- Frames are templates
 - Which are to be filled-in in a situation
 - Filling them in causes an agent to
 - Undertake actions and retrieve other frames
- Frames are extensions of record datatype in databases
 - Also very similar to objects in OOP



Flexibility in Frames

- Slots in a frame can contain
 - Information for choosing a frame in a situation
 - Relationships between this and other frames
 - Procedures to carry out after various slots filled
 - Default information to use where input is missing
 - Blank slots - left blank unless required for a task
 - Other frames, which gives a hierarchy



Example Frame

